

VACCINES for U.S. CHILDREN FROM BIRTH TO AGE 18

1960

2 months DPT
6 month Polio
smallpox

1983

2 months DPT
Polio
4 months DPT
Polio
6 months DPT
15-18 months MMR
18 months DPT
Polio
4 years DPT
Polio
15 years Td

2019

pregnancy Tdap AND Influenza

Day of birth Hepatitis B

2 months DTaP
Hepatitis B
HIB
Pneumococcal
Polio
Rotavirus
4 months DTaP
HIB
Pneumococcal
Polio
Rotavirus
6 months DTaP
Hepatitis B
Hib
Influenza
Pneumococcal
Polio
Rotavirus
7 months Influenza
12 months Hepatitis A
Hib
MMR
Pneumococcal
Varicella
18 months DTaP
Influenza
Hepatitis A
30 months Influenza
42 months Influenza
4 years DTaP
MMR
Polio
Varicella
5 years Influenza
6 years Influenza
7 years Influenza
8 years Influenza
9 years **GARDASIL ***
Influenza
10 years **GARDASIL***
Influenza
11 years Influenza
12 years Influenza
Meningitis ACWY
Tdap
13 years Influenza
14 years Influenza
15 years Influenza
Meningitis ACWY
16 years Influenza
Meningitis B #1**
Meningitis B #2**
Meningitis B #3**
17 years Influenza
18 Years Influenza

1986: National Childhood

Vaccine Injury Act shields

all vaccine manufacturers,
health care professionals, and
practices from liability resulting
from vaccine injury or death.

2011: Bruesewitz v. Wyeth

U.S. Supreme Court rules that
vaccines are unavoidably
unsafe, and that manufacturers
may not be sued for design
defect.

* **GARDASIL: 3 doses required if given at age 15 or later**

** **Meningitis B vaccines “may be given at clinical discretion”**

VACCINES for U.S. CHILDREN FROM BIRTH TO AGE 18