

**Below is a list of diverse talking points and facts that we have compiled for your easy reference. These make great post card messages or topics for cards and letters to legislators! These can also serve as useful comments or posts on social media.**

1. Vaccine choice is very important to me and my family because...
2. Please protect the right of parents to make vaccine choice in PA.
3. Vaccine mandates violate my religious beliefs.
4. My family is counting on you to protect our religious freedom to make our own medical decisions, including vaccine choice.
5. My family is counting on you to protect our right to govern our own bodies by opposing mandated medicine.
6. Vaccines carry substantial risks, including death. They must never be mandatory.
7. Ensuring dignity for all people means allowing them to control what goes into their bodies and their children. Protect vaccine choice.
8. Please protect vaccine choice in PA - home of virtue, liberty, and independence. (PA's motto)
9. I/family member/child sustained a vaccine injury because I did not know...
10. Criminal lawsuits have been filed against manufacturers of the HPV vaccine in France, Spain, India, and Japan.
11. HPV vaccines have never been proven to prevent cervical or any other cancer.
12. The US government earns royalties from Merck and GSK for licensing HPV vaccine technology.
13. No vaccine has ever been tested to discover whether they may cause cancer.
14. A growing number of healthy American adolescents are suffering lifelong disability and even death after receiving the HPV vaccine.

### **1986 NCVIA AND SAFETY PROBLEMS**

#### **Did you know that...**

1. Vaccines are liability free, thanks to the 1986 National Childhood Vaccine Injury Act.
2. Vaccine manufacturers are now shielded from all liability for vaccines, even when safer vaccines could have been made.
3. The US government has paid over \$4.2 billion to victims of vaccine injury or their surviving families.
4. There is rampant financial conflict of interest between FDA/CDC vaccine committees and vaccine companies.
5. U.S. infants are given more vaccines in their first year than infants in ANY other country -- 25 doses by age 6 months -- yet the U.S. ranks a dismal 34th in infant mortality rates.
6. The U.S. children vaccine schedule has almost tripled since the 1986 law passed. In 1983, children were to get 24 doses of 7 vaccines. It's now 69 doses of 16 vaccines. With 270 more vaccines currently in development, how many is TOO many?

7. The only redress for vaccine injury is a government program in which a government-appointed “special master” decides after listening to government lawyers defend government-purchased vaccines using government-funded science. No judge. No jury. No discovery. No precedent.
8. Dr. Andrew Zimmerman, pediatric neurologist and former expert witness for HHS, recently provided an affidavit explaining that vaccines can cause autism in some children.
9. There is no accurate reporting system for vaccine injuries. The 2010 Harvard Pilgrim study (funded by the CDC!) found that less than 1% of all adverse vaccine reactions are ever reported. Events were documented in medical records, but never reported to VAERS (Vaccine Adverse Events Reporting System).
10. Vaccine package inserts include over 100 serious immune, neurological and other chronic conditions listed as adverse reactions.
11. Pediatric vaccine clinical trials are typically only a few days or months. Merck’s 3 Hepatitis B vaccine trials totaled only 147 children who were followed for only FIVE days after receiving shots.
12. Vaccine companies have paid billions of dollars for misconduct and injuries related to their drug products, but federal law prevents them from being sued for injuries related to their vaccine products.
13. HHS recently conceded in federal court, that they have failed to study and report on how to improve vaccine safety, as required by law since 1989.
14. Half of U.S. children have an autoimmune, developmental, neurological, or chronic disorder. These conditions have sharply risen in lock-step with the increases in the CDC’s recommended vaccine schedule, and are listed as potential adverse reactions in vaccine package inserts.
15. In 2017, a seminal study found that babies receiving the DTP vaccine died at 10 times the rate of unvaccinated babies. Another study showed that children vaccinated for influenza had no significant protection over a saline placebo, but did have a 440% *increased* rate of non-influenza infections.
16. A recent pilot study from the School of Public Health at Jackson State University found that 33% of vaccinated preterm babies had a neurodevelopmental disorder compared to 0% of the unvaccinated preterm babies.
17. A recent study by the School of Public Health at Jackson Sate University found that vaccinated children had an increased risk of 290% for eczema, 390% for allergies, 420% for ADHD, 420% for autism, and 520% for learning disabilities as compared to unvaccinated children.

### MMR PROBLEMS

18. Merck's own virologists have disclosed UNDER OATH that they were forced to falsify efficacy data for the MMR (Measles/Mumps/Rubella) vaccine and the case is ongoing in federal court since 2010.
19. A Senior CDC Scientist, Dr. William Thompson, admitted to have taken part in destroying data indicating an increased rate of autism after MMR vaccination in African-American boys, depending on age of administration.
20. The MMR vaccine causes seizures in about 1 in 640 children, five times the rate from measles, as well as significantly higher rates of chronic arthritis and brain damage
21. The mortality rate from measles declined by over 98% between 1900 and 1962 as living conditions improved in this country.
22. In 1962, a year before the first measles vaccine, the CDC reported a total of 408 death out of an estimated 4 million cases — a death-to-case ratio of 1 in 10,000.
23. The International Agency for Research on Cancer found that individuals who never had measles had a 66% increased rate of Non-Hodgkin's Lymphoma and a 233% increased rate of Hodgkin's Lymphoma. Having had measles appears to significantly reduce incidence of this cancer type.
24. Merck's MMR vaccine was approved based on the false claim that ONE SHOT would result in lifetime immunity. But 2-10% of the population are "non-responders" and another 18% have waning antibody production within 20 years or less, making herd immunity impossible, even with 100% vaccination rates.

### VACCINE INGREDIENTS AND WANING IMMUNITY

25. Childhood vaccine ingredients include polysorbate 80, monkey kidney cells, calf/bovine serum, and aluminum hydroxide, and known carcinogens, such as glyphosate, formaldehyde, sulfuric acid, and thimerosal, a mercury derivative.
26. Cell lines from aborted babies are used in the production of vaccines for MMR (measles, mumps rubella), chicken pox, and Hepatitis A.
27. The original herd immunity theory was founded on communities which had attained natural immunity through the course of an infection, not those with vaccine-induced response.
28. Immunity from the DTaP for pertussis (whooping cough) wanes within a few years and does not prevent transmission, only a reduction in symptoms.
29. According to the FDA, those vaccinated with DTaP will have fewer symptoms of pertussis, but can still become infected and transmit pertussis.
30. Thimerosal, 49.6% mercury, as of January 2020, is still in multi-dose flu shots approved for infants/children under 3 years old.

31. Aluminum, a common vaccine ingredient, was injected to induce seizures in monkeys for study purposes.  
PMID: [13094324](#)
32. A 1953 JAMA article describes “difficulties” in mass-vaccinating children with aluminum-containing vaccines, due to febrile reactions, aluminum cysts at the site of injection, post-vaccination encephalopathy (brain dysfunction, disease, or disorder), paralytic poliomyelitis of the injected limb, and other unfavorable results:
33. The MSDS for aluminum sulfate, common in vaccines states: “It may affect behavior/central nervous system and cause ataxia and seizures. High blood concentrations of aluminum may cause aluminum-induced encephalopathy with confusion, lethargy, respiratory depression, cognitive impairment, dysarthria, asterixis, seizure, coma.”
34. The amount of aluminum in a single Hepatitis B vaccine, given at birth to all newborns is 14-28 TIMES the recognized safe limit.  
  
17.5 mcg: safe limit for 7.5-pound newborn  
250 mcg: amount in Engerix B  
500 mcg: amount in Recombivax HB